Behavioral Ecology Vol. 13 No. 6: 851–860

Volume 13 Indexes

Subject Index

A

Achrysocharoides zwoelferi. *See* parasitoid wasp
acoustic communication, in bullfrog, 109–124
Aedes aegypti. *See* yellow fever mosquito
Aedes triseriatus. *See* tree hole mosquito
African wild dog. *See* painted hunting dog
aggression
  in beaugregory damselfish, 676–681
  temporal partitioning and, 427–438
alarm call dialect, of Gunnison's prairie dog, 844–850
alloparental care, 291–300
alternative lifestyles, in butterfly, 450–455
alternative reproductive strategies, in white-lined bat, 750–756
Alytes cisternasii. *See* Iberian midwife toad
Ambystoma texanum. *See* small-mouthed salamander
Anas platyrhynchos. *See* mallard
Anelosimus studiosus. *See* spider
ant
  foraging, 776–781
  leaf-cutting, 224–231
  queen-size dimorphic, 239–247
antipredator behavior
  in juvenile coho salmon, 94–100
  macropod, 657–663
  of tammar wallabies, 657–663
  in thornbug treehopper, 125–133
  of western gray kangaroo, 657–663
anuran, female choice in, 149–153
Aphaereta, siblicide in, 690–695
Aphelocoma ultramarina. *See* Mexican jay
aphid-tending ant, asymmetries in foraging of, 776–781
Apodemus sylvaticus. *See* wood mouse
Argentine ant, lack of inbreeding avoidance in, 28–31
asset protection, in juvenile coho salmon, 94–100
Atta colombica. *See* leaf-cutting ant
autonomy, in porcelain crabs, 481–486

B

barking treefrog, mate sampling by, 472–480
barnacle goose, kin clustering in, 786–790
barn swallow
  begging calls and condition of, 268–273
  immunocompetence in, 169–174
  structural coloration and sexual selection in, 728–736
bat, echolocation calls of, 375–380
Batesian mimicry, 821–826
beaugregory damselfish, court or defend decisions in, 676–681
bee, foraging of, 757–765
begging
  barn swallow calls, 268–273
  by nestlings, 782–785
  in European robin, 637–642
biparental care, compensation in, 838–843
birds
  nestling begging, 782–785
  predation risk, 101–108
  See also specific birds
blue-footed booby, adaptive sex ratios in, 443–449
blue peafowl, sexual signals and immunocompetence in, 248–253
blue tit, impaired flight ability in, 575–579
body size
  ant, 239–247
  bullfrog, 109–124
  butterfly, 450–455
  cestode, 254–259
  coal tit, 696–704
  great tit, 725–727
  lek, 580–581
  quail, 32–41
  sex allocation and, 419–426
  shrew, 216–223
  snake, 551–560
Branta leucopsis. *See* barnacle goose
breeding
  house wren, 670–675
  small-mouthed salamander, 705–712
  See also cooperative breeding
brood parasitism
  conspecific, 321–327
  cuckoo, 163–168
  phylogeny and coevolution in, 1–10
brown-headed cowbird, male social development in, 487–496
bruchid beetle, siblicide in, 690–695
brushtail possum, sex ratios in, 653–656
bullfrog, acoustic signals in, 109–124
bumblebee, foraging of, 757–765
butterfly
  alternative lifestyles in, 450–455
  flight, 456–461

C

Calidris alpina. *See* dunlin
California bay leaves, 381–385
call dialect, of Gunnison's prairie dog, 844–850
call fragmentation, in singing crickets, 598–606
Callipepla gambelii. *See* Gambel's quail
Callipepla squamata. *See* scaled quail
Callosobruchus. *See* bruchid beetle
Carolina wren, territoriality in, 664–669
carotenoids, as ornaments, 401–407, 622–631
Carpodacus mexicanus. *See* house finch
Centropyge ferrugatus. *See* haremic angelfishes
Ceratophyllus gallinae. *See* hen flea
cestode, mating behavior of, 254–259
chemotactile cues, of wolf spider, 386–392
Chiroxiphia linearis. *See* long-tailed manakin
chuckwalla, mating behavior and population density in, 201–208
Clamator glandarius. *See* great spotted cuckoo
clam shrimp, mating behavior in, 561–570
clutch size, Nazca booby, 274–279
coal tit, body size, 696–704
coccinellid beetle, specialized predation on, 154–159
Coelopa frigida. *See* seaweed flies
coevolutionary hypotheses, 1–10
coho salmon, antipredator behavior in, 94–100
colony defense, in Damaraland mole-rat, 160–162

coloration
barn swallow structural, 728–736
Lake Malawi cichlid, 59–64
pied flycatcher, 737–741
See also plumage coloration
common raven, shared foraging information in, 42–51
communal roosts, 42–51
compensation, in biparental care, 838–843
competition
butterfly flight and, 456–461
female mating calls, 344–352
for resources, 280–290
See also fighting behavior; sperm competition
conditional strategy
paternal care as, 591–597
in territorial defense, 664–669
condition dependence, of courtship display, 791–799
conspecific brood parasitism, 321–327
contest behavior. *See* fighting behavior
cooperation, in Carolina wren, 664–669
cooperative breeding
in barnacle goose, 786–790
in Damaraland mole-rat, 160–162
in long-tailed manakin, 65–69
parental and alloparental effort, 291–300
in Tasmanian native hen, 328–336
in wood mouse, 408–418
cooperative foraging, in river otter, 134–141
cooperative hunting, in painted hunting dog, 20–27
coordinated singing, long-tailed manakin, 65–69
corticosterone, in barn swallow, 169–174
Corvus corax. *See* common raven
courtship display, in horned dung beetle, 791–799
cowbird, parasitic, 1–10
Crocuta crocuta. *See* spotted hyena
Cryptomys damarensis. *See* Damaraland mole-rat
cuckoldry, in house wren, 670–675
cuckoo, parasitic, 1–10, 163–168
Cuculus canorus. *See* cuckoo
Cynomys gunnisoni. *See* Gunnison's prairie dog

D

Damaraland mole-rat, cooperative breeding in, 160–162
dart-poison frog, operational sex ratio in, 175–181
degu, habitat structure of, 182–187
Delphinoidea, group size in, 583–590
Dendrobates pumilio. *See* dart-poison frog
Diabrotica undecimpunctata. *See* spotted cucumber beetle
digger wasp, prey hunting in, 52–58
dispersal
in spider, 142–148
in Tasmanian native hens, 328–336
DNA, of northern water snake, 800–807, 808–815
dolphin, group size in, 583–590
dominance, in coal tit, 696–704
drum duration, in wolf spider, 615–621
dung fly
copulation costs in, 353–358
mate avoidance costs in, 359–365
dunlin, energy management in, 766–775
dusky-footed wood rat, nest fumigation in, 381–385

E

eavesdropping, extrapair copulation and, 637–642
echolocation calls, of bats, 375–380
ectoparasites, nest-borne, 381–385
egg ejection, brood parasitism and, 321–327
egg quality hypothesis, in Nazca booby, 274–279
egg stealing, in fifteen-spined stickleback, 188–192
Elasmucha putoni. *See* subsocial bug
energy management, in dunlin, 766–775
Erithacus rubecula. *See* European robin
escape strategies, of porcelain crab, 481–486
Eulimnadia texana. *See* clam shrimp
Euplectes ardens. *See* red-collared widowbird
European beewolf, parental care in, 52–58
European robin, female begging in, 637–642
extrapair paternity
eavesdropping and, 637–642
house wren, 670–675
Mexican jay, 87–93
ruff, 209–215

F

female choice
barking treefrog, 472–480
cichlid, 59–64
dung fly, 353–365
fiddler crab, 366–374
fifteen-spined stickleback, 188–192
great snipe, 344–352
house mice, 312–329
Iberian midwife toad, 149–153
of multiple mates, 87–93
poeciliid fishes, 832–837
spotted cucumber beetle, 511–518
wolf spider, 615–621
Ficedula hypoleuca. *See* pied flycatcher
fiddler crab, mate searching in, 366–374
field cricket, parasitoid fly and, 607–614
fifteen-spined stickleback, female choice in, 188–192
fighting behavior
in bullfrog, 109–124
in butterfly, 456–461
in Magellanic penguin, 462–466
predation risk and, 439–442
flight performance
in blue tit, 575–579
in great tit, 725–727
food allocation, of coal tit, 696–704
food provisioning, of barn swallow, 268–273
food sharing, harassment and, 393–400
foraging
ant, 776–781
bee, 757–765
common raven, 42–51
efficiency as currency in, 571–574
habitat selection and, 280–290
juvenile coho salmon, 94–100
owl limpet, 467–471
river otter, 134–141
shrew, 216–223
snake, 551–560
temporal partitioning and aggression in, 427–438

G

Galleria mellonella. *See* greater wax moth
Gallinago media. *See* great snipe
Gallinula mortierii. *See* Tasmanian native hen
Gambel's quail, male-male competition in, 32–41
gerbil, habitat selection benefit in, 497–502
golden egg bug, oviposition behavior in, 70–74

greater wax moth, echolocation calls and, 375–380
great snipe, female calls in, 344–352
great spotted cuckoo, begging in, 782–785
great tit
  body mass and flight performance in, 725–727
  ornaments, 401–407
  sex ratios, 503–510
group size
  in dolphins and porpoises, 583–590
  in wallabies and kangaroos, 657–663
Gunnison's prairie dog, habitat structure and alarm call dialect of, 844–850
guppy
  social transmission and shoaling in, 827–831
  ultraviolet vision and mate choice in, 11–19

H

habitat selection
  benefit of, 497–502
  foraging-predation-risk trade-offs,' 280–290
habitat structure
  of cuckoo, 163–168
  of degu, 182–187
  of Gunnison's prairie dog, 844–850
harassment, food sharing and, 393–400
haremic angelfishes, sex change in, 75–82
hen flea, parasitism in, 401–407
hermaphrodites, simultaneous, 254–259, 419–426
Hirundo rustica. *See* barn swallow
Hogna helluo. *See* wolf spider
horned dung beetle, sexual selection and courtship display in, 791–799
horseshoe crab, mating behavior in, 232–238
host activity, by cuckoo, 163–168
house finch, parental care in, 591–597
house mouse, mating behavior in, 312–320
house sparrow
  begging in, 782–785
  parental care in, 713–721
house wren, extrapair paternity in, 670–675
hoverflies, mimicry in, 821–826
Hygrolycosa rubrofasciata. *See* wolf spider
Hyla gratiosa. *See* barking treefrog

I

Iberian midwife toad, female choice in, 149–153
ideal free distribution theory, 260–267
immune response, in barn swallow, 169–174
immunocompetence, in peacock, 248–253
impaired flight ability, in blue tit, 575–579
inbreeding, in Argentine ant, 28–31
incubating birds, predation risk in, 101–108

J

juvenile coho salmon, antipredator behavior in, 94–100

K

kin recognition
  in Argentine ant, 28–31
  in barnacle geese, 786–790
kleptoparasitism, ideal free distribution model of, 260–267

L

ladybird beetle, prey of, 154–159
Lake Malawi cichlid, coloration in, 59–64
Lasius niger. *See* aphid-tending ant
leaf-cutting ant, waste management in, 224–231
lek
  mating birds, 344–352
  size of, 580–581
Leptothorax rugatulus. *See* queen-size dimorphic ant
limpet, foraging behavior in, 467–471
Limulus polyphemus. *See* horseshoe crab
Linepithema humile. *See* Argentine ant
long-tailed manakin, cooperative breeding in, 65–69
Lontra canadensis. *See* river otter
Lottia gigantea. *See* owl limpet
Lycaon pictus. *See* painted hunting dog

M

macropod, antipredator behavior in, 657–663
Macropus eugenii. *See* tammar wallabies
Macropus fuliginosus. *See* western gray kangaroo
Magellanic penguin, fighting behavior in, 462–466
malaria parasite, manipulation of mosquito by, 816–820
male dimorphism, 808–815
male-male competition
  between Gambel's quail and scaled quail, 32–41
  red-collared widowbird, 622–631
mallard, breeding-ground fidelity of, 543–550
mating behavior
  barking treefrog, 472–480
  barn swallow, 728–736
  body size in, 419–426
  cestode, 254–259
  clam shrimp, 561–570
  dung fly, 353–365
  fiddler crab, 366–374
  field cricket, 607–614
  greater wax moth, 375–380
  guppy, 11–19
  horned dung beetle, 791–799
  horseshoe crab, 232–238
  house mouse, 312–320
  Mexican jay, 87–93
  northern water snake, 800–807, 808–815
  operational sex ratio and, 175–181
  orang-utan, 643–652
  poeciliid fish, 832–837
  population density and, 201–208
  ruff, 209–215
  scorpionfly, 632–636
  seaweed fly, 83–86
  small-mouthed salamander, 705–712
  spotted hyena, 193–200
  white-lined bat, 750–756
  See also female choice; sexual selection
melanins, as ornaments, 401–407
Mexican jay, parental care in, 87–93
microsatellite DNA, of northern water snake, 800–807, 808–815
mimicry, in hoverflies, 821–826
Molothrus ater. *See* brown-headed cowbird
monandry, in butterfly, 450–455
mountain white-crowned sparrow, reproductive success in, 682–689
Mus musculus. *See* house mouse

N

Nannacara anomala, fighting behavior in, 439–442
Nazca booby, clutch size of, 274–279

Neotoma fuscipes. *See* dusky-footed wood rat
Nerodia sipedon. *See* northern water snake
nest
  ectoparasites, 381–385
  fumigation by dusky-footed wood rat, 381–385
nestlings, begging by, 782–785
northern water snake, sexual selection in, 800–807, 808–815

O

Octodon degus. *See* degu
offspring
  sex ratios, 653–656
  See also parental care
Oncorhynchus kisutch. *See* juvenile coho salmon
Oncorhynchus spp. *See* Pacific salmon
Onthophagus. *See* horned dung beetle
operational sex ratio (OSR)
  in dart-poison frog, 175–181
  mating systems and, 175–181
Ormia ochracea. *See* parasitoid fly
ornaments, carotenoid-based, 401–407, 622–631
OSR. *See* operational sex ratio
oviposition behavior, in golden egg bug, 70–74
owl limpet, foraging behavior in, 467–471

P

Pacific salmon, protandry in, 337–343
painted hunting dog, cooperative hunting and pup-guarding in, 20–27
Panorpa cognata. *See* scorpionfly
paper wasp, reproductive strategy of, 531–542
parasitism
  cowbird, 1–10
  cuckoo, 1–10, 163–168
  dusky-footed wood rat, 381–385
  effect on ornaments, 401–407
  hen flea, 401–407
  malaria, 816–820
  mountain white-crowned sparrow, 682–689
  singing cricket, 598–606
  See also brood parasitism
parasitoid fly
  field crickets and, 607–614
  singing crickets and, 598–606
parasitoid wasp, reproductive strategy of, 690–695
Pardosa milvina. *See* wolf spider
parental care
  barn swallow, 169–174, 268–273
  compensation in, 838–843
  egg dumping, 321–327
  European beewolf, 52–58
  house finch, 591–597
  house sparrow, 713–721
  incubating birds, 101–108
  Mexican jay, 87–93
  spider, 142–148
  subsocial bug, 742–749
  thornbug treehopper, 125–133
parsimony, 1–10
Parus ater. *See* coal tit
Parus caeruleus. *See* blue tit
Parus major. *See* great tit
Passer domesticus. *See* house sparrow
paternity
  fifteen-spined stickleback, 188–192
  great tit, 503–510
  mountain white-crowned sparrow, 682–689
  See also extrapair paternity
Pavo cristatus. *See* blue peafowl
phenotypic selection
  in barnacle geese, 786–790
  in subsocial bug, 742–749
Philanthus triangulum F. *See* European beewolf
Philomachus pugnax. *See* ruff
philopatry, in barnacle goose, 786–790
phonotactic parasitoids, 598–606, 607–614
Phyllomorpha laciniata. *See* golden egg bug
phylogeny, by brood parasites, 1–10
pied flycatcher, ultraviolet reflectance and male quality in, 737–741
Plasmodium gallinaceum. *See* malaria parasite
plataspid heteropterans, predation risk of, 154–159
plumage coloration
  house finch, 591–597
  quail, 32–41
  red-collared widowbird, 622–631
Poecilia reticulata. *See* guppy
poeciliid fish, preexisting receiver biases in, 832–837
Polistes carolina. *See* paper wasp
polyandry
  reproductive benefits and, 450–455
  ruff, 209–215
Pongo pygmaeus abelii. *See* Sumatran orang-utan
population density, mating behavior and, 201–208
porcelain crab, escape strategies of, 481–486
porpoise, group size in, 583–590
precedence effect, in Iberian midwife toad, 149–153
predation risk
  blue tit, 575–579
  chickadee, 101–108
  degu, 182–187
  digger wasp, 52–58
  fighting behavior and, 439–442
  golden egg bug, 70–74
  greater wax moth, 375–380
  habitat selection and, 280–290
  incubating birds, 101–108
  juvenile coho salmon, 94–100
  macropod, 657–663
  plataspid heteropterans, 154–159
  shrew, 216–223
  snake, 551–560
  temporal change in, 526–530
  thornbug treehopper, 125–133
  tree hole mosquito, 301–311
  vespid wasp, 125–133
  wolf spider, 386–392
preexisting receiver biases, in poeciliid fish, 832–837
prey. *See* predation risk
protandry, in Pacific salmon, 337–343
Pseudopolybia compressa. *See* vespid wasp
Pseudotropheus zebra. *See* Lake Malawi cichlid
pulse rate, of wolf spider, 615–621
pup-guarding, in painted hunting dog, 20–27

Q

quail, plumage, behavior and body size in, 32–41
queen-size dimorphic ant, reproduction in, 239–247

R

Rana catesbeiana. *See* bullfrog
Rana lessonae. *See* tadpole

receiver biases, in poeciliid fish, 832–837
recruitment, in common raven, 42–51
red-collared widowbird, badge size and color in, 622–631
reproductive success
  dart-poison frog, 175–180
  field cricket, 607–614
  house finch, 591–597
  mountain white-crowned sparrow, 682–689
  northern water snake, 800–807, 808–815
  paper wasp, 531–542
  parasitoid wasp, 690–695
  queen-size dimorphic ant, 239–247
  river otter, 134–141
  spotted hyena, 193–200
  subsocial bug, 742–749
  Sumatran orang-utan, 643–652
  white-lined bat, 750–756
  wood mouse, 408–418
river otter, sociality in, 134–141
ruff, polyandry in, 209–215

S

Saccopteryx bilineata. *See* white-lined bat
salamander, group-breeding, 705–712
Sauromalus obesus (= *ater*). *See* chuckwalla
scaled quail, male-male competition in, 32–41
Schistocephalus solidus. *See* cestode
scorpionfly, mating behavior in, 632–636
seaweed flies, mating behavior in, 83–86
Sepsis cynipsea. *See* dung fly
sex allocation, body size and, 419–426
sex change, in haremic angelfishes, 75–82
sex ratios
  blue-footed booby, 443–449
  brushtail possum, 653–656
  great tit, 503–510
  See also operational sex ratio
sexual dimorphism, in river otter, 134–141
sexual ornamentation, in barn swallow, 169–174
sexual selection
  barn swallow, 728–736
  blue peafowl, 248–253
  butterfly, 450–455, 456–461
  cichlid, 59–64
  cricket, 607–614
  dung fly, 353–365
  fiddler crab, 366–374
  guppy, 11–19
  horned dung beetle, 791–799
  long-tailed manakin, 65–69
  northern water snake, 800–807, 808–815
  scorpionfly, 632–636
  seaweed fly, 83–86
  small-mouthed salamander, 705–712
  spotted cucumber beetle, 511–518
  for structure building, 366–374
  wolf spider, 615–621
shrew, body size of, 216–223
siblicide, in parasitoid wasp, 690–695
signaling
  blue peafowl, 248–253
  nestling, 782–785
  widowbird, 622–631
simultaneous hermaphrodites, 254–259, 419–426
singing
  cricket, 598–606
  long-tailed manakin, 65–69
  mountain white-crowned sparrow, 682–689
size. *See* body size
small-mouthed salamander, sperm allocation in, 705–712
snake, size-dependent predation by, 551–560
social status, in coal tit, 696–704
social transmission, in guppy, 827–831
soldier reproduction, in thrip, 519–525
species recognition, in Lake Malawi cichlid, 59–64
sperm competition
  salamander, 705–712
  scorpionfly, 632–636
  simultaneous hermaphrodite, 419–426
Spheniscus magellanicus. *See* Magellanic penguin
spider, delayed juvenile dispersal in, 142–148
Spinachia spinachia. *See* fifteen-spined stickleback
spotted cucumber beetle, female choice in, 511–518
spotted hyena, mating behavior and reproductive success in, 193–200
status signaling, in widowbird, 622–631
Stegastes leucostictus. *See* beaugregory damselfish
structure building, sexual selection for, 366–374
subsocial bug, phenotypic selection and reproductive behavior in, 742–749
Sula granti. *See* Nazca booby
Sula nebouxii. *See* blue-footed booby
Sumatran orang-utan, reproductive success of, 643–652

T

tadpole, predation risk in, 526–530
tammar wallabies, antipredator behavior of, 657–663
Tasmanian native hen, dispersal in, 328–336
Teleogryllus oceanicus. *See* field cricket
temporal change, in predation risk, 526–530
temporal partitioning, aggression and, 427–438
territoriality
  beaugregory damselfish, 676–681
  conditional strategy in Carolina wren, 664–669
  male bullfrog, 109–124
  in owl limpet, 467–471
thornbug treehopper, antipredator behavior in, 125–133
thrip, soldier reproduction in, 519–525
Thryothorus ludovicianus. *See* Carolina wren
Toxorhynchites rutilus, predation risk of, 301–311
tree hole mosquito, predation risk of, 301–311
Trichosurus vulpecula. *See* brushtail possum
Troglodytes aedon. *See* house wren
two-armed bandit, bees and, 757–765

U

Uca musica. *See* fiddler crab
ultraviolet spectrum
  barn swallow and, 728–736
  guppy and, 11–19
  pied flycatcher and, 737–741
Umbellularia californica. *See* California bay leaves
Umbonia crassicornis. *See* thornbug treehopper

V

vespid wasp, predation risk from, 125–133

W

waste management, in leaf-cutting ant, 224–231
western gray kangaroo, antipredator behavior of, 657–663

white-lined bat, male tactics and reproductive success in, 750–756
widowbird, status signaling in, 622–631
wing area reduction, in great tit, 725–727
wolf spider
  predation risk, 386–392
  sexual selection in, 615–621
wood mouse, cooperative breeding in, 408–418

X

Xiphophorus. *See* poeciliid fish

Y

yellow fever mosquito, malaria manipulation of, 816–820

Z

Zonotrichia leucophrys oriantha. *See* mountain white-crowned sparrow

Author/Title Index

A

Abramsky Z, Rosenzweig ML, Subach A: Measuring the benefit of habitat selection, 497–502
Alatalo RV. *See* Parri S
Alexander GJ. *See* Couldridge VCK
Alvarado A. *See* Hemmes RB
Anderson DJ. *See* Clifford LD
Andersson S. *See* Pryke SR
Angeloni L, Bradbury JW, Charnov EL: Body size and sex allocation in simultaneously hermaphroditic animals, 419–426

B

Backwell PRY. *See* Christy JH
Badyaev AV, Hill GE: Paternal care as a conditional strategy: distinct reproductive tactics associated with elaboration of plumage ornamentation in the house finch, 591–597
Bailey S. *See* Lank DB
Barabas A. *See* Jones G
Bartmann S. *See* Gerlach G
Basolo AL: Congruence between the sexes in preexisting receiver responses, 832–837
Bates L, Chappell J: Inhibition of optimal behavior by social transmission in the guppy depends on shoaling, 827–831
Bautista LM. *See* Polo V
Bednekoff PA: On hotshots and lotteries: are the best males on larger leks better than expected?, 580–581
Bee MA: Territorial male bullfrogs (*Rana catesbeiana*) do not assess fighting ability based on size-related variation in acoustic signals, 109–124
Bejah K-L. *See* Chapman TW
Ben-David M. *See* Blundell GM
Bennett ATD. *See* Smith EJ
Benning DS. *See* Doherty PF Jr
Bentley VR. *See* Doherty PF Jr
Bidwell JK. *See* Doherty PF Jr
Blanckenhorn WU. *See* Mühlhäuser C
Blanckenhorn WU, Hosken DJ, Martin OY, Reim C, Teuschl Y, Ward PI: The costs of copulating in the dung fly *Sepsis cynipsea*, 353–358
Blumstein DT, Daniel JC: Isolation from mammalian predators differentially affects two congeners, 657–663
Blundell GM, Ben-David M, Bowyer RT: Sociality in river otters: cooperative foraging or reproductive strategies?, 134–141
Boersma D. *See* Renison D
Bollinger KS. *See* Doherty PF Jr
Bosch J, Márquez R: Female preference function related to precedence effect in an amphibian anuran (*Alytes cisternasii*): tests with non-overlapping calls, 149–153
Bowyer RT. *See* Blundell GM
Bozinovic F. *See* Vásquez RA
Bradbury JW. *See* Angeloni L
Brazda AR. *See* Doherty PF Jr
Brick O, Jakobsson S: Individual variation in risk taking: the effect of a predatory threat on fighting behavior in *Nannacara anomala*, 439–442
Brockmann HJ: An experimental approach to altering mating tactics in male horseshoe crabs (*Limulus polyphemus*), 232–238
Broom M, Ruxton GD: A game theoretical approach to conspecific brood parasitism, 321–327
Brown GP. *See* Prosser MR; Weatherhead PJ
Brown JL. *See* Li S-H
Bruford MW. *See* Engh AL; Utami SS
Buelna EK. *See* Doherty PF Jr
Burke T. *See* Lank DB

C

Chapman TW, Kranz BD, Bejah K-L, Morris DC, Schwarz MP, Crespi BJ: The evolution of soldier reproduction in social thrips, 519–525
Chappell J. *See* Bates L
Chappell MA. *See* Kolluru GR
Charnov EL. *See* Angeloni L
Christy JH, Backwell PRY, Goshima S, Kreuter T: Sexual selection for structure building by courting male fiddler crabs: an experimental study of behavioral mechanisms, 366–374
Church SC. *See* Smith EJ
Clifford LD, Anderson DJ: Clutch size variation in the Nazca booby: a test of the egg quality hypothesis, 274–279
Cocroft RB: Antipredator defense as a limited resource: unequal predation risk in broods of an insect with maternal care, 125–133
Cohen D. *See* Keasar T
Cook PA. *See* Wedell N
Cooney R: Colony defense in Damaraland mole-rats, *Cryptomys damarensis*, 160–162
Couldridge VCK, Alexander GJ: Color patterns and species recognition in four closely related species of Lake Malawi cichlid, 59–64
Courchamp F, Rasmussen GSA, Macdonald DW: Small pack size imposes a trade-off between hunting and pup-guarding in the painted hunting dog *Lycaon pictus*, 20–27
Crespi BJ. *See* Chapman TW
Cuthill IC. *See* Smith EJ

D

Dall SRX: Can information sharing explain recruitment to food from communal roosts?, 42–51
Daniel JC. *See* Blumstein DT
Day TH. *See* Shuker DM
Dejean A, Orivel J, Gibernau M: Specialized predation on plataspid heteropterans in a coccinellid beetle: adaptive be-

havior and responses of prey attended or not by ants, 154–159
de Lope F. *See* Perrier C
Deneubourg J-L. *See* Portha S
Derryberry EP. *See* MacDougall-Shackleton EA
de Ruiter JR. *See* Utami SS
Detrain C. *See* Portha S
Doherty PF Jr, Nichols JD, Tautin J, Voelzer JF, Smith GW, Benning DS, Bentley VR, Bidwell JK, Bollinger KS, Brazda AR, Buelna EK, Goldsberry JR, King RJ, Roetker FH, Solberg JW, Thorpe PP, Wortham JS: Sources of variation in breeding-ground fidelity of mallards (*Anas platyrhynchos*), 543–550
Domènech J. *See* Senar JC
Downes SJ: Size-dependent predation by snakes: selective foraging or differential prey vulnerability?, 551–560

E

Ebensperger LA. *See* Vásquez RA
Elliott W. *See* Jones G
Engh AL, Funk SM, Van Horn RC, Scribner KT, Bruford MW, Libants S, Szykman M, Smale L, Holekamp KE: Reproductive skew among males in a female-dominated mammalian society, 193–200
Engqvist L, Sauer KP: A life-history perspective on strategic mating effort in male scorpionflies, 632–636

F

Fitze PS, Richner H: Differential effects of a parasite on ornamental structures based on melanins and carotenoids, 401–407
Fleischer RC. *See* Rothstein SI
Fournier D. *See* Keller L
Funk SM. *See* Engh AL

G

Galeotti P. *See* Sacchi R
Ganem G. *See* Smadja C
Gerhardt HC. *See* Murphy CG
Gerlach G, Bartmann S: Reproductive skew, costs, and benefits of cooperative breeding in female wood mice (*Apodemus sylvaticus*), 408–418
Ghalambor CK, Martin TE: Comparative manipulation of predation risk in incubating birds reveals variability in the plasticity of responses, 101–108
Gibbs HL. *See* Prosser MR; Weatherhead PJ
Gibernau M. *See* Dejean A
Goldizen AW, Putland DA, Robertson KA: Dispersal strategies in Tasmanian native hens (*Gallinula mortierii*), 328–336
Goldsberry JR. *See* Doherty PF Jr
Goossens B. *See* Utami SS
Goshima S. *See* Christy JH
Gould WR. *See* Hollenbeck VG
Grand TC: Alternative forms of competition and predation dramatically affect habitat selection under foraging—predation-risk trade-offs, 280–290
Gravel ME. *See* Juliano SA
Gygax L: Evolution of group size in the dolphins and porpoises: interspecific consistency of intraspecific patterns, 583–590

H

Hagelin JC: The kinds of traits involved in male-male competition: a comparison of plumage, behavior, and body size in quail, 32–41
Hahn TP. *See* MacDougall-Shackleton EA
Haley MP. *See* Santangelo N
Hamaguchi Y, Sakai Y, Takasu F, Shigesada N: Modeling spawning strategy for sex change under social control in haremic angelfishes, 75–82
Hamilton IM: Kleptoparasitism and the distribution of unequal competitors, 260–267
Hanotte O. *See* Lank DB
Harris WE, Lucas JR: A state-based model of sperm allocation in a group-breeding salamander, 705–712
Hart AG, Ratnieks FLW: Waste management in the leaf-cutting ant *Atta colombica*, 224–231
Hart BL. *See* Hemmes RB
Heckel G, von Helversen O: Male tactics and reproductive success in the harem polygynous bat *Saccopteryx bilineata*, 750–756
Heinze J. *See* Rüppell O
Hemmes RB, Alvarado A, Hart BL: Use of California bay foliage by wood rats for possible fumigation of nest-borne ectoparasites, 381–385
Hicks BG. *See* Johnson LS
Hill GE. *See* Badyaev AV
Holekamp. *See* Engh AL
Hölldobler B. *See* Rüppell O
Hollenbeck VG, Weeks SC, Gould WR, Zucker N: Maintenance of androdioecy in the freshwater shrimp *Eulimnadia texana*: seuxal encounter rates and outcrossing success, 561–570
Honza M. *See* Røskaft E
Hosken DJ. *See* Blanckenhorn WU
Houston DC. *See* Kullberg C
Huhta E. *See* Siitari H
Hyman J: Conditional strategies in territorial defense: do Carolina wrens play tit-for-tat?, 664–669

I

Incagli M. *See* Saino N
Itzkowitz M. *See* Santangelo N

J

Jakobsson S. *See* Brick O
Jancewicz E. *See* Rychlik L
Johnson CN, Ritchie EG: Adaptive biases in offspring sex ratios established before birth in a marsupial, the common brushtail possum *Trichosurus vulpecula*, 653–656
Johnson LS, Hicks BG, Masters BS: Increased cuckoldry as a cost of breeding late for male house wrens (*Troglodytes aedon*), 670–675
Johnstone RA. *See* Kokko H
Jones G, Barabas A, Elliott W, Parsons S: Female greater wax moths reduce sexual display behavior in relation to the potential risk of predation by echolocating bats, 375–380
Jones KM, Ruxton GD, Monaghan P: Model parents: is full compensation for reduced partner nest attendance compatible with stable biparental care?, 838–843
Jones TC, Parker PG: Delayed juvenile dispersal benefits both mother and offspring in the cooperative spider *Anelosimus studiosus* (Araneae: Theridiidae), 142–148
Juliano SA, Gravel ME: Predation and the evolution of prey behavior: an experiment with tree hole mosquitoes, 301–311

K

Keasar T, Rashkovich E, Cohen D, Shmida A: Bees in two-armed bandit situations: foraging choices and possible decision mechanisms, 757–765

Keller L, Fournier D: Lack of inbreeding avoidance in the Argentine ant *Linepithema humile*, 28–31
Kelly JP, Weathers WW: Effects of feeding time constraints on body mass regulation and energy expenditure in wintering dunlin (*Calidris alpina*), 766–775
Kemp DJ: Butterfly contests and flight physiology: why do older males fight harder?, 456–461
King AP. *See* White DJ
King RJ. *See* Doherty PF Jr
Knope M. *See* Wasson K
Koella JC, Rieu L, Paul REL: Stage-specific manipulation of a mosquito's host-seeking behavior by the malaria parasite *Plasmodium gallinaceum*, 816–820
Kokko H, Johnstone RA, Wright J: The evolution of parental and alloparental effort in cooperatively breeding groups: when should helpers pay to stay?, 291–300
Kolluru GR, Zuk M, Chappell MA: Reduced reproductive effort in male field crickets infested with parasitoid fly larvae, 607–614
Kotiaho JS. *See* Parri S
Kotiaho JS: Sexual selection and condition dependence of courtship display in three species of horned dung beetles, 791–799
Kranz BD. *See* Chapman TW
Kreuter T. *See* Christy JH
Kudo S: Phenotypic selection and function of reproductive behavior in the subsocial bug *Elasmucha putoni* (Heteroptera: Acanthosomatidae), 742–749
Kullberg C, Houston DC, Metcalfe NB: Impaired flight ability—a cost of reproduction in female blue tits, 575–579
Kwiatkowski MA, Sullivan BK: Mating system structure and population density in polygynous lizard, *Sauromalus obesus* (= *ater*), 201–208

L

Lank DB, Smith CM, Hanotte O, Ohtonen A, Bailey S, Burke T: High frequency of polyandry in a lek mating system, 209–215
Larsson K. *See* van der Jeugd HP
Lawes MJ. *See* Pryke SR
Learn WA. *See* Trainer JM
Li S-H, Brown JL: Reduction of maternal care: a new benefit of multiple mating?, 87–93
Libants S. *See* Engh AL
Lucas JR. *See* Harris WE
Lüscher A, Wedekind C: Size-dependent discrimination of mating partners in the simultaneous hermaphroditic cestode *Schistocephalus solidus*, 254–259
Lyon BE. *See* Wasson K

M

Macdonald DW. *See* Courchamp F
MacDougall-Shackleton EA, Derryberry EP, Hahn TP: Nonlocal male mountain white-crowned sparrows have lower paternity and higher parasite loads than males singing local dialect, 682–689
Mappes J. *See* Parri S
Marliani A. *See* Strohm E
Márquez R. *See* Bosch J
Martella MB. *See* Renison D
Martin OY. *See* Blanckenhorn WU
Martin TE. *See* Ghalambor CK
Martinelli R. *See* Saino N
Masters BS. *See* Johnson LS
Mayhew PJ. *See* Pexton JJ
McClafferty JA. *See* Tallamy DW
McDonald DB. *See* Trainer JM
Metcalfe NB. *See* Kullberg C
Mock DW. *See* Schwagmeyer PL
Moksnes A. *See* Røskaft E
Møller AP. *See* Perrier C
Møller AP. *See* Saino N
Møller AP, Petrie M: Condition dependence, multiple sexual signals, and immunocompetence in peacocks, 248–253
Monaghan P. *See* Jones KM
Morbey YE: Protandry models and their application to salmon, 337–343
Morris DC. *See* Chapman TW
Moskát C. *See* Røskaft E
Mühlhäuser C, Blanckenhorn WU: The costs of avoiding matings in the dung fly *Sepsis cynipsea*, 359–365
Müller C. *See* Van Buskirk J
Müller P, Robert D: Death comes suddenly to the unprepared: singing crickets, call fragmentation, and parasitoid flies, 598–606
Murphy CG, Gerhardt HC: Mate sampling by female barking treefrogs (*Hyla gratiosa*), 472–480

N

Nichols JD. *See* Doherty PF Jr
Ninni P. *See* Perrier C
Nolet BA: Efficiency as a foraging currency in animals attaining a gain below the energetic ceiling, 571–574

O

Oddie KR, Reim C: Egg sex ratio and paternal traits: using within-individual comparisons, 503–510
Ohtonen A. *See* Lank DB
Orivel J. *See* Dejean A
Östlund-Nilsson S: Does paternity or paternal investment determine the level of paternal care and does female choice explain egg stealing in the fifteen-spined stickleback?, 188–192

P

Parker GA. *See* Schwagmeyer PL
Parker PG. *See* Jones TC
Parri S, Alatalo RV, Kotiaho JS, Mappes J, Rivero A: Sexual selection in the wolf spider *Hygrolycosa rubrofasciata*: female preference for drum duration and pulse rate, 615–621
Parsons KN. *See* Smith EJ
Parsons S. *See* Jones G
Partridge JC. *See* Smith EJ
Patten MA. *See* Rothstein SI
Paul REL. *See* Koella JC
Perla BS, Slobodchikoff CN: Habitat structure and alarm call dialects in Gunnison's prairie dog (*Cynomys gunnisoni*), 844–850
Perrier C, de Lope F, Møller AP, Ninni P: Structural coloration and sexual selection in the barn swallow *Hirundo rustica*, 728–736
Persons MH, Walker SE, Rypstra AL: Fitness costs and benefits of antipredator behavior mediated by chemotactile cues in the wolf spider *Pardosa milvina* (Araneae: Lycosidae), 386–392
Petrie M. *See* Møller AP
Pexton JJ, Mayhew PJ: Siblicide and life-history evolution in parasitoids, 690–695
Piper SE. *See* Pryke SR
Polo V, Bautista LM: Daily body mass regulation in domi-

nance-structured coal tit (*Parus ater*) flocks in response to variable food access: a laboratory study, 696–704
Portha S, Deneubourg J-L, Detrain C: Self-organized asymmetries in ant foraging: a functional response to food type and colony needs, 776–781
Portmann A. *See* Van Buskirk J
Powell BE. *See* Tallamy DW
Pröhl H: Population differences in female resource abundance, adult sex ratio, and male mating success in *Dendrobates pumilio*, 175–181
Prosser MR. *See* Weatherhead PJ
Prosser MR, Weatherhead PJ, Gibbs HL, Brown GP: Genetic analysis of the mating system and opportunity for sexual selection in northern water snakes (*Nerodia sipedon*), 800–807
Pryke SR, Andersson S, Lawes MJ, Piper SE: Carotenoid status signaling in captive and wild red-collared widowbirds: independent effects of badge size and color, 622–631
Putland DA. *See* Goldizen AW

Q

Queller DC. *See* Seppä P

R

Rashkovich E. *See* Keasar T
Rasmussen GSA. *See* Courchamp F
Ratnieks FLW. *See* Hart AG
Redondo T. *See* Rodríguez-Gironés MA
Reguera P, Gomendio M: Flexible oviposition behavior in the golden egg bug (*Phyllomorpha laciniata*) and its implications for offspring survival, 70–74
Reim C. *See* Blanckenhorn WU
Reim C. *See* Oddie KR
Reinhardt UG: Asset protection in juvenile salmon: how adding biological realism changes a dynamic foraging model, 94–100
Renison D, Boersma D, Martella MB: Winning and losing: causes for variability in outcome of fights in male Magellanic penguins (*Spheniscus magellanicus*), 462–466
Richards SA: Temporal partitioning and aggression among foragers: modeling the effects of stochasticity and individual state, 427–438
Richner H. *See* Fitze PS
Richter M. *See* Santangelo N
Rieu L. *See* Koella JC
Ritchie EG. *See* Johnson CN
Rivero A. *See* Parri S
Robert D. *See* Müller
Robertson KA. *See* Goldizen AW
Rodríguez-Gironés MA, Zúñiga JM, Redondo T: Feeding experience and relative size modify the begging strategies of nestlings, 782–785
Roetker FH. *See* Doherty PF Jr
Rosenzweig ML. *See* Abramsky Z
Røskaft E, Moksnes A, Stokke BG, Moskát C, Honza M: The spatial habitat structure of host populations explains the pattern of rejection behavior in hosts and parasitic adaptations in cuckoos, 163–168
Rothstein SI, Patten MA, Fleischer RC: Phylogeny, specialization, and brood parasite-host coevolution: some possible pitfalls of parsimony, 1–10
Rüppell O, Heinze J, Hölldobler B: Intracolonial patterns of reproduction in the queen-size dimorphic ant *Leptothorax rugatulus*, 239–247
Ruxton GD. *See* Broom M
Ruxton GD. *See* Jones KM
Rychlik L, Jancewicz E: Prey size, prey nutrition, and food handling by shrews of different body sizes, 216–223
Rypstra AL. *See* Persons MH

S

Sacchi R, Saino N, Galeotti P: Features of begging calls reveal general condition and need of food of barn swallow (*Hirundo rustica*) nestlings, 268–273
Sæther SA: Female calls in lek-mating birds: indirect mate choice, female competition for mates, or direct mate choice?, 344–352
Saino N. *See* Sacchi R
Saino N, Incagli M, Martinelli R, Møller AP: Immune response of male barn swallows in relation to parental effort, corticosterone plasma levels, and sexual ornamentation, 169–174
Sakai Y. *See* Hamaguchi Y
Santangelo N, Itzkowitz M, Richter M, Haley MP: Resource attractiveness of the male beaugregory damselfish and his decision to court or defend, 676–681
Sauer KP. *See* Engqvist L
Schwagmeyer PL, Mock DW, Parker GA: Biparental care in house sparrows: negotiation or sealed bid?, 713–721
Schwarz MP. *See* Chapman TW
Scribner KT. *See* Engh AL
Seddon N. *See* Tobias JA
Senar JC, Domènech J, Uribe F: Great tits (*Parus major*) reduce body mass in response to wing area reduction: a field experiment, 725–727
Seppä P, Queller DC, Strassmann JE: Reproduction in foundress associations of the social wasp, *Polistes carolina*: conventions, competition, and skew, 531–542
Shanks AL: Previous agonistic experience determines both foraging behavior and territoriality in the limpet *Lottia gigantea* (Sowerby), 467–471
Sherratt TN: The evolution of imperfect mimicry, 821–826
Shigesada N. *See* Hamaguchi Y
Shmida A. *See* Keasar T
Shuker DM, Day TH: Mate sampling and the sexual conflict over mating in seaweed flies, 83–86
Siitari H, Huhta E: Individual color variation and male quality in pied flycatchers (*Ficedula hypoleuca*): a role of ultraviolet reflectance, 737–741
Slobodchikoff CN. *See* Perla BS
Smadja C, Ganem G: Subspecies recognition in the house mouse: a study of two populations from the border of a hybrid zone, 312–320
Smale L. *See* Engh AL
Smith CM. *See* Lank DB
Smith EJ, Partridge JC, Parsons KN, White EM, Cuthill IC, Bennett ATD, Church SC: Ultraviolet vision and mate choice in the guppy (*Poecilia reticulata*), 11–19
Smith GW. *See* Doherty PF Jr
Solberg JW. *See* Doherty PF Jr
Stephens DW. *See* Stevens JR
Stevens JR, Stephens DW: Food sharing: a model of manipulation by harassment, 393–400
Stokke BG. *See* Røskaft E
Strassmann JE. *See* Seppä P
Strohm E, Marliani A: The cost of parental care: prey hunting in a digger wasp, 52–58
Subach A. *See* Abramsky Z
Sullivan BK. *See* Kwiatkowski MA
Surbeck M. *See* Van Buskirk J
Szykman M. *See* Engh AL

T

Takasu F. *See* Hamaguchi Y
Tallamy DW, Powell BE, McClafferty JA: Male traits under cryptic female choice in the spotted cucumber beetle (Coleoptera: Chrysomelidae), 511–518
Tautin J. *See* Doherty PF Jr
Teuschl Y. *See* Blanckenhorn WU
Thorpe PP. *See* Doherty PF Jr
Tobias JA, Seddon N: Female begging in European robins: do neighbors eavesdrop for extrapair copulations?, 637–642
Trainer JM, McDonald DB, Learn WA: The development of coordinated singing in cooperatively displaying long-tailed manakins, 65–69

U

Uribe F. *See* Senar JC
Utami SS, Goossens B, Bruford MW, de Ruiter JR, van Hooff JARAM: Male bimaturism and reproductive success in Sumatran orang-utans, 643–652

V

Van Buskirk J, Müller C, Portmann A, Surbeck M: A test of the risk allocation hypothesis: tadpole responses to temporal change in predation risk, 526–530
van der Jeugd HP, van der Veen IT, Larsson K: Kin clustering in barnacle geese: familiarity or phenotype matching?, 786–790
van der Veen IT. *See* van der Jeugd HP
van Hooff JARAM. *See* Utami SS
Van Horn RC. *See* Engh AL
Vásquez RA, Ebensperger LA, Bozinovic F: The influence of habitat on travel speed, intermittent locomotion, and vigilance in a diurnal rodent, 182–187
Velando A: Experimental manipulation of maternal effort produces differential effects in sons and daughters: implications for adaptive sex ratios in the blue-footed booby, 443–449
Voelzer JF. *See* Doherty PF Jr
von Helversen O. *See* Heckel G

W

Walker SE. *See* Persons MH
Ward PI. *See* Blanckenhorn WU
Wasson K, Lyon BE, Knope M: Hair-trigger autonomy in porcelain crabs is a highly effective escape strategy, 481–486
Weatherhead PJ. *See* Prosser MR
Weatherhead PJ, Prosser MR, Gibbs HL, Brown GP: Male reproductive success and sexual selection in northern water snakes determined by microsatellite DNA analysis, 808–815
Weathers WW. *See* Kelly JP
Wedekind C. *See* Lüscher A
Wedell N, Wiklund C, Cook PA: Monandry and polyandry as alternative lifestyles in a butterfly, 450–455
Weeks SC. *See* Hollenbeck VG
West MJ. *See* White DJ
White DJ, King AP, West MJ: Facultative development of courtship and communication in juvenile male cowbirds (*Molothrus ater*), 487–496
White EM. *See* Smith EJ
Wiklund C. *See* Wedell N
Wortham JS. *See* Doherty PF Jr
Wright J. *See* Kokko H

Z

Zucker N. *See* Hollenbeck VG
Zuk M. *See* Kolluru GR
Zúñiga JM. *See* Rodríguez-Gironés MA